



Substitute for form 1448/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet 1 of 6

Complete if Known

Application Number 10/589,741
Filing Date 8/16/2006
First Named Inventor Michael J. Sailor
Art Unit 2876
Examiner Name Michael Andler
Attorney Docket Number 0321.68812

U. S. PATENT DOCUMENTS

Examiner Initials*	Cite No.†	Document Number	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Number-Kind Code ² (if known)			
	US	6,355,431	3/12/2002	Chee et al.	
	US	6,396,995	5/28/2002	Stuelpnagel et al.	
	US	6,429,027	8/6/2002	Chee et al.	
	US	6,544,732	4/8/2003	Chee et al.	
	US	6,620,584	9/16/2003	Chee et al.	
	US	6,663,832	12/16/2003	Lebl et al.	
	US	6,770,441	8/3/2004	Dickinson et al.	
	US	6,812,005	11/2/2004	Fan et al.	
	US	6,846,460	1/25/2005	Lebl	
	US	6,858,394	2/22/2005	Chee et al.	
	US	5,071,248	12/10/1991	Tiefenthaler et al.	
	US	5,218,472	6/8/1993	Jazefowicz et al.	
	US	5,318,676	6/7/1994	Sailor et al.	
	US	5,468,606	11/21/1995	Bogart et al.	
	US	5,763,176	6/9/1998	Slater et al.	
	US	5,928,726	7/27/1999	Butler et al.	
	US	6,248,539	6/19/2001	Ghadiri et al.	
	US	Re. 33,581	4/30/1991	Nicoli et al.	
	US	2003/0129778	7/10/2003	Bastian et al.	

FOREIGN PATENT DOCUMENTS

Examiner Initials*	Cite No.†	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages Or Relevant Figures Appear	1*
		Country Code* ³ Number* ⁴ Kind Code ⁵ (if known)				
		WO 03/067231	8/4/2003	Sailor et al.		

Examiner Signature

/Michael Andler/

Date Considered

26 February 2010

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ² Applicant's unique citation designation number (optional). ³ See Kinda Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ⁴ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁵ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁶ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁷ Applicant is to place a check mark here if English language Translation is attached.
This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Complete if Known

(Use as many sheets as necessary)

Application Number	10/589,741
Filing Date	8/16/2006
First Named Inventor	Michael J. Sailor
Art Unit	2876
Examiner Name	Michael Andler
Attorney Docket Number	0321.68812

[illegible][illegible]

Date Considered	26 February 2010
-----------------	------------------

The collection of information is required 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /M.A./

INFORMATION DISCLOSURE STATEMENT BY APPLICANT	Application Number	10/589,741
	Filing Date	8/16/2006
	First Named Inventor	Michael J. Sailor
	Art Unit	2876
	Examiner Name	Michael Andler
Sheet 3 of 6	Attorney Docket Number	0321.68812

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), city and/or country where published.	T
	1.	Eric J. LEE et al., "Photodimerization of the Surface of Luminescent Porous Silicon with Formic Acid", <i>J. Am. Chem. Soc.</i> , Vol. 117, 8295-96 (1995).	
	2.	V.S.Y. LIN et al., "A Porous Silicon-Based Optical Interferometric Biosensor", <i>Science</i> , Vol. 278, pp. 840-842 (Oct. 31, 1997).	
	3.	Andreas JANSHOFF et al., "Macroporous p-Type Silicon Fabry-Perot Layers. Fabrication, Characterization, and Applications in Biosensing", <i>J. Am. Chem. Soc.</i> , Vol. 120, pp. 12108-116 (1998).	
	4.	S. R. NICEWARNER-PENA et al., "Submicrometer Metallic Barcodes", <i>Science</i> , Vol. 294, pp. 137-141 (Oct 5, 2001).	
	5.	L. PAVESI et al., "Random Porous Silicon Multilayers: Application to Distributed Bragg Reflectors and Interferential Fabry-Pérot Filters", <i>Semicond. Sci. Technol.</i> , Vol. 12, pp. 570-575 (1997).	
	6.	D. VAN NOORT et al., "Monitoring Specific Interaction of Low Molecular Weight Biomolecules on Oxidized Porous Silicon Using Ellipsometry", <i>Biosensors & Bioelectronics</i> , Vol. 13, No. 3-4, pp. 439-449 (1998).	
	7.	M. THONISSEN et al., Section 1.4, "Multilayer Structures of Porous Silicon", In <i>Properties of Porous Silicon</i> , (Eds: L. Canham). EMIS Datareviews, Vol. 8, Short Run Press Ltd., London, pp. 30-37 (1997).	
	8.	Honglae SOHN et al., "Detection of Fluorophosphonate Chemical Warfare Agents by Catalytic Hydrolysis with a Porous Silicon Interferometer", <i>J. Am. Chem. Soc.</i> , Vol. 122, pp. 5399-400 (2000).	
	9.	M.J. SAILOR, "Sensor Applications of Porous Silicon", Section 12.4, In <i>Properties of Porous Silicon</i> , (Eds: L. Canham). EMIS Datareviews, Vol. 8, Short Run Press Ltd., London, pp. 364-370 (1997).	
	10.	J.R. QUAGLIANO et al., "Quantitative Chemical Identification of Four Gases in Remote Infrared (9-11 μ m) Differential Absorption Lidar Experiments", <i>Applied Optics</i> , Vol. 36, No. 9, pp. 1915-27 (Mar. 20, 1997).	
	11.	M.J. SAILOR et al., "Low-Power Microsensors for Explosives and Nerve Warfare Agents Using Silicon Nanodots and Nanowires", In SPIE Meeting on Unattended Ground Sensor Technologies and Applications, (Ed: E.M. Carapezza, D.B. Law and K.T. Stalker). SPIE, 2000.	
	12.	B. WARNEKE et al., "Smart Dust: Communicating with a Cubic-Millimeter Computer", <i>Computer</i> , pp. 44-51 (Jan. 2001).	
	13.	V.G. CHEUNG et al., "Making and Reading Microarrays", <i>Nature Genetics Supplement</i> , Vol. 21, pp. 15-19, (Jan. 1999).	
	14.	L.T. CANHAM et al., "Derivatized Porous Silicon Mirrors: Implantable Optical Components with Slow Resorbability", <i>Physica</i> , Vol. 182, No. 1, pp. 521-525 (2000).	

INFORMATION DISCLOSURE STATEMENT BY APPLICANT	Application Number	10/589,741
	Filing Date	8/16/2006
	First Named Inventor	Michael J. Sailor
	Art Unit	2876
	Examiner Name	Michael Andler
Sheet 4 of 6	Attorney Docket Number	0321.68812

	15	A.P. Bowditch, "In-Vivo Assessment of Tissue Compatibility and Calcification of Bulk and Porous Silicon", <i>Materials Research Society Symp. Proc.</i> , Vol. 536, pp. 149-154 (1999).	
	16	S. CHAN et al., "Porous Silicon Microcavities for Biosensing Applications", <i>Phys. Stat. Sol.</i> , Vol. 182, pp. 541-546 (2000).	
	17	"Abstracts of Oak Ridge Posters", <i>Clinical Chem.</i> , Vol. 46, No. 9, pp. 1487-1522 (2000).	
	18	K.P.S. DANCIL et al., "A Porous Silicon Optical Biosensor: Detection of Reversible Binding of IgG to a Protein A-Modified Surface," <i>J. Am. Chem. Soc.</i> , Vol. 121, pp. 7925-30 (1999).	
	19	J.H. HOLTZ et al., "Polymerized Colloidal Crystal Hydrogel Films as Intelligent Chemical Sensing Materials", <i>Nature</i> , Vol. 389, pp. 829-832 (Oct. 23, 1997).	
	20	J. GAO et al., "Porous-Silicon Vapor Sensor Based on Laser Interferometry", <i>Applied Physics Letters</i> , Vol. 77, No. 6, pp. 901-903 (Aug. 7, 2000).	
	21	J.M. LAUERHAAS et al., "Chemical Modification of the Photoluminescence Quenching of Porous Silicon", <i>Science</i> , Vol. 261, pp. 1567-68 (Sep. 17, 1993).	
	22	J.L. HEINRICH et al., "Luminescent Colloidal Silicon Suspensions from Porous Silicon", <i>Science</i> , Vol. 255, No. 5040, pp. 66-68 (Jan. 3, 1992).	
	23	M.D. RAY et al., "Ultraviolet Mini-Raman Lidar for Stand-Off, <i>in situ</i> , Identification of Chemical Surface Contaminants", <i>Review of Scientific Instruments</i> , Vol. 71, No. 9, pp. 3485-89 (Sep. 2000).	
	24	N.F. STARODUB et al., "Use of the Silicon Crystals Photoluminescence to Control Immunocomplex Formation", <i>Sensors and Actuators</i> , pp. 44-47, (1996).	
	25	M.J. SAILOR et al., "Detection of DNT, TNT, HF and Nerve Agents Using Photoluminescence and Interferometry from a Porous Silicon Chip", In <i>Unattended Ground Sensor Technologies and Applications II</i> , Proceedings of SPIE, Vol. 4040, pp. 95-104 (2000).	
	26	L. PAVESI et al., "Controlled Photon Emission in Porous Silicon Microcavities", <i>Appl. Phys. Lett.</i> , Vol. 67, No. 22, pp. 3280-82 (Nov. 27, 1995).	
	27	C. MAZZOLENI et al., "Application to Optical Components of Dielectric Porous Silicon Multilayers", <i>Appl. Phys. Lett.</i> , Vol. 67, No. 20, pp. 2983-85 (Nov. 13, 1995).	
	28	V. LEHMANN et al., "Optical Shortpass Filters Based on Macroporous Silicon", <i>Applied Physics Letters</i> , Vol. 78, No. 5, pp. 589-591 (Jan. 29, 2001).	
	29	A.M. TINSLEY-BOWN et al., "Tuning the Pore Size and Surface Chemistry of Porous Silicon for Immunoassays", <i>Phys. Stat. Sol.</i> , Vol. 182, pp. 547-553 (2000).	
	30	P.A. SNOW et al., "Vapor Sensing using the Optical Properties of Porous Silicon Bragg Mirrors", <i>Journal of Applied Physics</i> , Vol. 86, No. 4, pp. 1781-84 (Aug. 15, 1999).	

INFORMATION DISCLOSURE STATEMENT BY APPLICANT	Application Number	10/589,741
	Filing Date	8/16/2006
	First Named Inventor	Michael J. Sailor
	Art Unit	2876
	Examiner Name	Michael Andler
Sheet 5 of 6	Attorney Docket Number	0321.68812

31	G. VINCENT, "Optical Properties of Porous Silicon Superlattices", <i>Appl. Phys. Lett.</i> , Vol. 64, No. 18, pp. 2367-69 (May 2, 1994).	
32	V. WULMEYER et al., "Ground-Based Differential Absorption Lidar for Water-Vapor Profiling: Assessment of Accuracy, Resolution, and Meteorological Applications", <i>Applied Optics</i> , Vol. 37, No. 18, pp. 3825-44 (June 20, 1998).	
33	M. BRUCHEZ, JR. et al., "Semiconductor Nanocrystals as Fluorescent Biological Labels", <i>Science</i> , Vol. 281, pp. 2013-16 (Sep. 25, 1998).	
34	C.B. CARLISLE et al., "CO ₂ Laser-Based Differential Absorption Lidar System for Range-Resolved and Long-Range Detection of Chemical Vapor Plumes", <i>Applied Optics</i> , Vol. 34, No. 27, pp. 6187-6200 (Sep. 20, 1995).	
35	S. CHAN et al., "Identification of Gram Negative Bacteria Using Nanoscale Silicon Microcavities", <i>J. Am. Chem. Soc.</i> , Vol. 123, No. 47, pp. 11797-798 (2001).	
36	C.L. CURTIS et al., "Observation of Optical Cavity Modes in Photoluminescent Porous Silicon Films", <i>J. Electrochem. Soc.</i> , Vol. 140, No. 12, pp. 3492-94 (Dec. 1993).	
37	S. CONTENT et al., "Detection of Nitrobenzene, DNT, and TNT Vapors by Quenching of Porous Silicon Photoluminescence", <i>Chem. Eur. J.</i> , Vol. 6, No. 12, pp. 2205-13 (2000).	
38	D. GERION et al., "Synthesis and Properties and Biocompatible Water-Soluble Silica-Coated CdSe/ZnS Semiconductor Quantum Dots", <i>J. Phys. Chem. B</i> , Vol. 105, pp. 8861-71 (2001).	
39	M.R. HENRY, et al., "Real-Time Measurements of DNA Hybridization on Microparticles with Fluorescence Resonance Energy Transfer", <i>Analytical Biochemistry</i> , Vol. 276, pp. 204-214 (1999).	
40	P. CORONADO et al., "New Technologies to Support NASA's Mission to Planet Earth Satellite Remote Sensing Product Validation: The Use of an Unmanned Autopilot Vehicle (UAV) as a Platform to Conduct Remote Sensing", Part of the SPIE Conference on Robotic and Semi-Robotic Ground Vehicle Technology, Orlando, FL April 1998, Vol. 3366, pp. 38-49.	
41	D.F. SHRIVER, "The Manipulation of Air-Sensitive Compounds", 2d Ed., John Wiley & Sons, Inc. New York, 1986, pp. 290-311.	
42	F. CUNIN et al., "Biomolecular Screening with Encoded Porous-Silicon Photonic Crystals", <i>Nature Materials</i> , Vol. 1, pp. 39-41. (Sept. 2002).	
43	M.G. BERGER et al., "Dielectric Filter Made of Porous Silicon: Advanced Performance by Oxidation and New Layer Structures", <i>Thin Solid Films</i> , Vol. 297, pp. 237-240 (1997).	
44	H. FENNIRI et al., <i>J. Am. Chem. Soc.</i> , Vol. 123, pp. 8151-52 (2001).	
45	H. FENNIRI et al., <i>Angew. Chem. Int. Ed.</i> , Vol. 39, pp. 4483-85 (2000).	
46	W.C.W. CHAN et al., "Quantum Dot Bioconjugates for Ultrasensitive Nonisotopic Detection", <i>Science</i> , Vol. 281, pp. 2016-18 (1998).	
47	J.A. FERGUSON et al., "A Fiber Optic DNA Biosensor Microarray for the Analysis of Gene Expression", <i>Nature Biotechnol.</i> , Vol. 14, pp. 1681-84 (1996).	

INFORMATION DISCLOSURE STATEMENT BY APPLICANT	Application Number	10/589,741
	Filing Date	8/16/2006
	First Named Inventor	Michael J. Sailor
	Art Unit	2876
	Examiner Name	Michael Andler
Sheet 6 of 6	Attorney Docket Number	0321.68812

	48	M. THONISSEN et al., Properties of Porous Silicon, Vol. 18, pp. 12-22, (ed. L. Canham) (Short Run, London 1997).	
	49	A. HALIMAOUI, Properties of Porous Silicon, Vol. 18, pp. 12-22, (ed. L. Canham) (Short Run, London 1997).	
	50	J. VUCKOVIC et al., "Optimization of Three-Dimensional Micropost Microcavities for Cavity Quantum Electrodynamics", Physical Review A., Vol. 66, 2002, pp. 023808-1 - 023808-9.	

P:\DOCS\0321\68811\AD3223.DOC

/Michael Andler/

26 February 2010